

BE OVERPROTECTIVE™.

At LINE-X®, we know truck owners consider their truck as much more than a vehicle. It's a trusty workhorse or a fun plaything. So when you're breathing life back into your truck, don't just throw on a fresh coat of paint. Consider throwing on a fresh coat of bedliner to raise the muscle and durability to the level of a LINE-X spray-on bedliner. A little something truck owners have come to know as LINE-X ReNew™.



LINE-X Features:

- Contours to your truck bed for a factory installed look
- No lost cargo space
- Watertight seal locks out damaging moisture
- Chemical resistance
- Corrosion resistance
- Gouge, rip and tear protection
- Non-skid/non-slip surface
- Impact protection
- Accessories fit great
- Adds value to your truck
- Permanently bonds to your truck bed

- #1 bedliner in customer satisfaction
- Nationwide Lifetime Warranty
- Over 550 dealers worldwide
- Over 2 million satisfied customers
- Exclusive, lab-tested formula.

Your authorized LINE-X dealer:

Bring it in and we can LINE-X® it.
Check out how we do it at LineX.com



BE OVERPROTECTIVE.™

LINE-X Franchise Business Opportunities
Available in Selected Areas. Call toll free.
LINE-X Franchise Development Company
800.831.3232
SANTA ANA, CALIFORNIA

©2009 LINE-X Franchise Development Company

X WANTS YOUR TIRED, WEAK AND WORN OUT BEDLINERS.



BE OVERPROTECTIVE.™

www.LineX.com

When a bedliner gets rough, the owner gets LINE-X.

Not all bedliners are created equal. Where other bedliners fail, LINE-X ReNew™ fixes. The scientists at LINE-X have developed the ReNew process to repair gouges, scratches and other damage to lesser spray-on bedliners and raise the protection level to LINE-X standards. A 1:1 ratio of iso-to-resin makes for a less rubbery, more durable surface that provides superior impact and abrasion protection for your truck and all your toys. Chemical perfection. It's what gives us our X factor.

Ready For Immediate Use.

Professionally applied in approximately two hours, our non-skid surface is ready to go to work—or play—immediately, and ready for rugged use in just 24 hours.

Sound-Dampening, Impact-Absorbing, Awe-Inspiring.

As soon as it's on, you'll notice less road noise, and a rattle-free, quiet ride when compared to an unprotected bed or drop-in liner. Plus, independent tests show every LINE-X bedliner is resistant to most chemicals including chlorine, gasoline, diesel fuel, bleach and most household solvents, just to name a few.

Technical Comparisons To The Competition

PROPERTY	TEST METHOD	LINE-X RESULTS *	OTHER SPRAY-ON BEDLINERS
Hardness	ASTM D2240	50 ± 1 Shore D	85-90 Shore A
Tensile Strength	ASTM D412	2147 PSI	1700-1900 PSI
Elongation	ASTM D412	91%	325-375%
Tear Strength	ASTM D624	295 lbs/in	140-150 lbs/in

* LINE-X out performs the competition in every category.



Before



ReNewed

Protection From Every Angle.

LINE-X permanently bonds to your truck bed with a factory-like finish that follows every angle and curve to preserve precious cargo space while creating a watertight seal. No air gaps or drill holes to give water a place to hide—and rust a chance to take hold. With a higher tensile strength than the “softer” spray-ons from the competition, LINE-X provides unmatched protection against cracking, bubbling and peeling. Add in the LINE-X Nationwide Lifetime Warranty, and we have you covered from every angle.



Adds To Your Truck's Value.

Unlike many “drop-in” plastic bedliners and lesser spray-on bedliners, every professionally applied LINE-X bedliner contains tough polymers engineered to withstand years of heavy-duty use in the searing heat or arctic cold. That adds to your truck's daily value—as well as its resale value at trade-in time.

LINE-X Protects More Than Trucks:

- Truck Accessories
- Tools/Tool Boxes
- Boats
- Motorcycles
- Construction/Farm Machinery
- Trailers
- Personal Watercraft
- Gardening Equipment
- ATVs
- Feed Containers
- Storage Tanks
- and much more



BE OVERPROTECTIVE.™

Interested in professionally printing this brochure?
Call Technology Media Group at 1-800-777-9091